ELSEVIER

Molecular Brain Research 60 (1998) 311–312

MOLECULAR BRAIN RESEARCH

Author Index

Abraham, W.C., see Williams, J.M. (60) 21
Abraham, W.C., see Williams, J.M. (60) 50
Acosta, A.M., see Segarra, A.C. (60) 133
Allar, M.A., see McLaughlin, P.J. (60) 160
Althausen, S., see Paschen, W. (60) 115
Angulo, J.A., see Segarra, A.C. (60) 133
Arnauld, E., Arsaut, J. and Demotes-Mainard, J.
Conditional coupling of striatal dopamine D1 receptor to transcription factors: ontogenic and regional differences in CREB activation (60) 127
Arsaut, J., see Arnauld, E. (60) 127
Asai, K., see Mizuno, H. (60) 28
Asanuma, M. and Cadet, J.L.
Methamphetamine-induced increase in striatal NF-κB DNA-binding activity is attenuated in superoxide dismutase transgenic mice (60) 305

Balachandran, R., see Tyurin, V.A. (60) 270
Barnes Jr, E.M., see Thompson, C.L. (60) 282
Beattie, R.E., see Day, N.C. (60) 259
Brené, S., see Zachrisson, O. (60) 291
Brewer, G.J., see Yang, Y. (60) 40

Cadet, J.L., see Asanuma, M. (60) 305
Capone, G., Choi, C. and Vertifuille, J.
Regulation of the preprosomatostatin gene by cyclic-AMP in cerebrocortical neurons (60) 247
Carboni, L., Carletti, R., Tacconi, S., Corti, C. and Ferraguti, F.
Differential expression of SAPK isoforms in the rat brain. An in situ hybridisation study in the adult rat brain and during postnatal development (60) 57
Carletti, R., see Carboni, L. (60) 57
Choi, C., see Capone, G. (60) 247
Corti, C., see Carboni, L. (60) 57
Craig, P.J., see Day, N.C. (60) 259

Day, B.W., see Tyurin, V.A. (60) 270
Day, N.C., Volsen, S.G., McCormack, A.L., Craig, P.J., Smith, W., Beattie, R.E., Shaw, P.J., Ellis, S.B., Harpold, M.M. and Ince, P.G.
The expression of voltage-dependent calcium channel beta subunits in human hippocampus (60) 259
Del Olmo, E., López-Giménez, J.F., Vilaró, M.T., Mengod, G., Palacios, J.M. and Pazos, A.
Early localization of mRNA coding for 5-HT_{1A} receptors in human brain during development (60) 123
Demotes-Mainard, J., see Arnauld, E. (60) 127
Doutheil, J., see Paschen, W. (60) 115

Ellis, S.B., see Day, N.C. (60) 259
Emson, P.C., see Saito, H. (60) 215

Feindt, J., Schmidt, A. and Mentlein, R.
Receptors and effects of the inhibitory neuropeptide somatostatin in microglial cells (60) 228
Ferraguti, F., see Carboni, L. (60) 57
Fischer, S., Renz, D., Schaper, W. and Karliczek, G.F.
Barbiturates decrease the expression of vascular endothelial growth factor in hypoxic cultures of porcine brain derived microvascular endothelial cells (60) 89
Friederich, P. and Urban, B.W.
The inhibition of human neuronal K^+ currents by general anesthetic agents is altered by extracellular K^+ (60) 301
Fujita, K., see Mizuno, H. (60) 28

Gauer, F., Schuster, C., Poirel, V.-J., Pévet, P. and Masson-Pévet, M.
Cloning experiments and developmental expression of both melatonin receptor Mel_{1A} mRNA and melatonin binding sites in the Syrian hamster suprachiasmatic nuclei (60) 193
Gissel, C., see Paschen, W. (60) 115
González, J.L., see Segarra, A.C. (60) 133

Harpold, M.M., see Day, N.C. (60) 259
Hayakawa, T., see Nonaka, M. (60) 310
Himeno, A., see Moriuchi, R. (60) 234
Hoe, K.-L., see Moriuchi, R. (60) 234
Honkaniemi, J., Zhang, J.S., Yang, T., Zhang, C., Tisi, M.A. and Longo, F.M.
LAR tyrosine phosphatase receptor: proximal membrane alternative splicing is coordinated with regional expression and intraneuronal localization (60) 1
Huh, S.-O., see Won, J.-S. (60) 203

Ince, P.G., see Day, N.C. (60) 259

Jöhren, O., see Moriuchi, R. (60) 234

Kagan, V.E., see Tyurin, V.A. (60) 270
Kamme, F., see Tomasevic, G. (60) 168
Karliczek, G.F., see Fischer, S. (60) 89
Kato, T., see Mizuno, H. (60) 28
Keilhoff, G., see Seidel, B. (60) 296
Keverne, E.B., see Saito, H. (60) 215
Kim, Y.-H., see Won, J.-S. (60) 203
Kimura, S., see Mizuno, H. (60) 28
Kishimoto, J., see Saito, H. (60) 215
Kohmura, E., see Nonaka, M. (60) 310
Kristensen, P., see Larsen, P.J. (60) 69
Kume, H., Maruyama, K., Shinozaki, K., Kuzume, H. and Obata, K.
Phosphorylation and spatiotemporal distribution of KW8 (NDRF/NeuroD2), a NeuroD family basic helix–loop–helix protein (60) 107
Kuwabara, K., see Matsushita, K. (60) 98
Kuzume, H., see Kume, H. (60) 107

Larsen, P.J. and Kristensen, P.
Distribution of neuropeptide Y receptor expression in the rat suprachiasmatic nucleus (60) 69
Lee, J.-K., see Won, J.-S. (60) 203
Lee, K.-J., see Won, J.-S. (60) 203
Lesch, K.-P., see Okladnova, O. (60) 177
Li, J., Tullai, J.W., Yu, W.-h.A. and Salton, S.R.J.
Regulated expression during development and following sciatic nerve injury of mRNAs encoding the receptor tyrosine phosphatase HPTPζ/RPTPβ (60) 77
Lindefors, N., see Zachrisson, O. (60) 291
Linden, T., see Paschen, W. (60) 115
Longo, F.M., see Honkaniemi, J. (60) 1
López-Giménez, J.F., see Del Olmo, E. (60) 123

Maruyama, K., see Kume, H. (60) 107
Mason-Parker, S.E., see Williams, J.M. (60) 21
Mason-Parker, S.E., see Williams, J.M. (60) 50
Masson-Pévet, M., see Gauer, F. (60) 193
Matsushita, K., Matsuyama, T., Nishimura, H., Takaoka, T., Kuwabara, K., Tsukamoto, Y., Sugita, M. and Ogawa, S.
Marked, sustained expression of a novel 150-kDa oxygen-regulated stress protein, in severely ischemic mouse neurons (60) 98
Matsuyama, T., see Matsushita, K. (60) 98
McCormack, A.L., see Day, N.C. (60) 259
McEwen, B.S., see Segarra, A.C. (60) 133
McLaughlin, P.J. and Allar, M.A.
Preproenkephalin gene expression and [Met^5]–enkephalin levels in the developing rat heart (60) 160

Mengod, G., see Del Olmo, E. (60) 123
Mentlein, R., see Feindt, J. (60) 228
Mimmack, M.L., see Saito, H. (60) 215
Mizuno, H., Asai, K., Fujita, K., Uemura, K., Wada, Y., Moriyama, A., Ogawa, H., Kimura, S. and Kato, T.
Neurotrophic action of lipocortin 1 derived from astrocytes on cultured rat cortical neurons (60) 28
Moriuchi, R., Shibata, S., Himeno, A., Jöhren, O., Hoe, K.-L. and Saavedra, J.M.
Molecular cloning and pharmacological characterization of an atypical gerbil angiotensin II type-1 receptor and its mRNA expression in brain and peripheral tissues (60) 234
Moriyama, A., see Mizuno, H. (60) 28
Mössner, R., see Okladnova, O. (60) 177

Nishimura, H., see Matsushita, K. (60) 98
Nonaka, M., Kohmura, E., Yamashita, T., Shimada, S., Tanaka, K., Yoshimine, T., Tohyama, M. and Hayakawa, T.
Erratum to: Increased transcription of glutamate–aspartate transporter (GLAST/GluT-1) mRNA following kainic acid-induced limbic seizure [Molecular Brain Research 55 (1998) 54–60] (60) 310

Obata, K., see Kume, H. (60) 107
Ogawa, H., see Mizuno, H. (60) 28
Ogawa, S., see Matsushita, K. (60) 98
Okladnova, O., Syagailo, Y.V., Mössner, R., Riederer, P. and Lesch, K.-P.
Regulation of *PAX-6* gene transcription: alternate promoter usage in human brain (60) 177

Palacios, J.M., see Del Olmo, E. (60) 123
Parhar, I.S., see Soga, T. (60) 13
Paschen, W., Gissel, C., Linden, T., Althausen, S. and Doutheil, J.
Activation of gadd153 expression through transient cerebral ischemia: evidence that ischemia causes endoplasmic reticulum dysfunction (60) 115
Pazos, A., see Del Olmo, E. (60) 123
Pévet, P., see Gauer, F. (60) 193
Poirel, V.-J., see Gauer, F. (60) 193
Powell, J.A., see Sims, N.R. (60) 141

Quinn, P.J., see Tyurin, V.A. (60) 270
Quitschke, W.W., see Yang, Y. (60) 40

Reinheckel, T., see Seidel, B. (60) 296
Renz, D., see Fischer, S. (60) 89
Riederer, P., see Okladnova, O. (60) 177
Rökaeus, Å. and Waschek, J.A.
Tissue-specific enhancement and restriction of galanin gene expression in transgenic mice by 5′ flanking sequences (60) 150

Saavedra, J.M., see Moriuchi, R. (60) 234
Saito, H., Mimmack, M.L., Keverne, E.B., Kishimoto, J. and Emson, P.C.
Isolation of mouse vomeronasal receptor genes and their co-localization with specific G-protein messenger RNAs (60) 215
Sakuma, Y., see Soga, T. (60) 13
Salton, S.R.J., see Li, J. (60) 77
Schaper, W., see Fischer, S. (60) 89
Schmidt, A., see Feindt, J. (60) 228
Schor, N.F., see Tyurin, V.A. (60) 270
Schuster, C., see Gauer, F. (60) 193
Segarra, A.C., Acosta, A.M., González, J.L., Angulo, J.A. and McEwen, B.S.
Sex differences in estrogenic regulation of preproenkephalin mRNA levels in the medial preoptic area of prepubertal rats (60) 133
Seidel, B., Keilhoff, G., Reinheckel, T. and Wolf, G.
Differentially expressed genes in hippocampal cell cultures in response to an excitotoxic insult by quinolinic acid (60) 296
Shaw, P.J., see Day, N.C. (60) 259
Shibata, S., see Moriuchi, R. (60) 234
Shimada, S., see Nonaka, M. (60) 310
Shinozaki, K., see Kume, H. (60) 107
Sims, N.R., Williams, V.K., Zaidan, E. and Powell, J.A.
The antioxidant defences of brain mitochondria during short-term forebrain ischemia and recirculation in the rat (60) 141
Smith, W., see Day, N.C. (60) 259
Soga, T., Sakuma, Y. and Parhar, I.S.
Testosterone differentially regulates expression of GnRH messenger RNAs in the terminal nerve, preoptic and midbrain of male tilapia (60) 13
Song, D.-K., see Won, J.-S. (60) 203
Stephenson, F.A., see Thompson, C.L. (60) 282
Sugita, M., see Matsushita, K. (60) 98
Suh, H.-W., see Won, J.-S. (60) 203
Syagailo, Y.V., see Okladnova, O. (60) 177

Tacconi, S., see Carboni, L. (60) 57
Takaoka, T., see Matsushita, K. (60) 98
Tanaka, K., see Nonaka, M. (60) 310
Tate, W.P., see Williams, J.M. (60) 21
Tate, W.P., see Williams, J.M. (60) 50
Tehrani, M.H.J., see Thompson, C.L. (60) 282
Thompson, C.L., Tehrani, M.H.J., Barnes Jr, E.M. and Stephenson, F.A.
Decreased expression of $GABA_A$ receptor $\alpha 6$ and $\beta 3$ subunits in stargazer mutant mice: a possible role for brain-derived neurotrophic factor in the regulation of cerebellar $GABA_A$ receptor expression? (60) 282
Thompson, V.L., see Williams, J.M. (60) 50
Tisi, M.A., see Honkaniemi, J. (60) 1
Tohyama, M., see Nonaka, M. (60) 310
Tomasevic, G., Kamme, F. and Wieloch, T.
Changes in proliferating cell nuclear antigen, a protein involved in DNA repair, in vulnerable hippocampal neurons following global cerebral ischemia (60) 168
Tsukamoto, Y., see Matsushita, K. (60) 98
Tullai, J.W., see Li, J. (60) 77
Tyurin, V.A., Tyurina, Y.Y., Quinn, P.J., Schor, N.F., Balachandran, R., Day, B.W. and Kagan, V.E.
Glutamate-induced cytotoxicity in PC12 pheochromocytoma cells: role of oxidation of phospholipids, glutathione and protein sulfhydryls revealed by *bcl-2* transfection (60) 270
Tyurina, Y.Y., see Tyurin, V.A. (60) 270

Uemura, K., see Mizuno, H. (60) 28
Urban, B.W., see Friederich, P. (60) 301

Vertifuille, J., see Capone, G. (60) 247
Vilaró, M.T., see Del Olmo, E. (60) 123
Volsen, S.G., see Day, N.C. (60) 259

Wada, Y., see Mizuno, H. (60) 28
Waschek, J.A., see Rökaeus, Å. (60) 150
Wieloch, T., see Tomasevic, G. (60) 168
Williams, J.M., Mason-Parker, S.E., Abraham, W.C. and Tate, W.P.
Biphasic changes in the levels of *N*-methyl-D-aspartate receptor-2 subunits correlate with the induction and persistence of long-term potentiation (60) 21
Williams, J.M., Thompson, V.L., Mason-Parker, S.E., Abraham, W.C. and Tate, W.P.
Synaptic activity-dependent modulation of mitochondrial gene expression in the rat hippocampus (60) 50
Williams, V.K., see Sims, N.R. (60) 141
Wolf, G., see Seidel, B. (60) 296
Won, J.-S., Suh, H.-W., Kim, Y.-H., Song, D.-K., Huh, S.-O., Lee, J.-K. and Lee, K.-J.
Prostaglandin E_2 increases proenkephalin mRNA level in rat astrocyte-enriched culture (60) 203

Yamashita, T., see Nonaka, M. (60) 310
Yang, T., see Honkaniemi, J. (60) 1
Yang, Y., Quitschke, W.W. and Brewer, G.J.
Upregulation of amyloid precursor protein gene promoter in rat primary hippocampal neurons by phorbol ester, IL-1 and retinoic acid, but not by reactive oxygen species (60) 40
Yoshimine, T., see Nonaka, M. (60) 310
Yu, W.-h.A., see Li, J. (60) 77

Zachrisson, O., Lindefors, N. and Brené, S.
A tachykinin NK_1 receptor antagonist, CP-122,721-1, attenuates kainic acid-induced seizure activity (60) 291
Zaidan, E., see Sims, N.R. (60) 141
Zhang, C., see Honkaniemi, J. (60) 1
Zhang, J.S., see Honkaniemi, J. (60) 1